Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims:

- 1. (CURRENTLY AMENDED) A method for screening for melanoma using immunohistochemistry to determine whether microphthalmia (Mi) is expressed which comprises:
 - (a) contacting *in vitro* a biological specimen containing malignant cells with an antibody that <u>selectively</u> binds to human microphthalmia (Mi); and
 - (b) determining whether Mi is being expressed in the specimen by the binding of the antibody to Mi, wherein the expression of Mi in a malignant cell is indicative of melanoma.

2-3. (CANCELLED)

- 4. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the biological specimen consists of malignant cells.
- 5-12. (CANCELLED)
- 13. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the antibody is a monoclonal antibody.
- 14. (PREVIOUSLY PRESENTED) The method of claim 13, wherein the antibody binds to an epitope in the N-terminus Taq-Sac fragment of human Mi.
- 15. (CANCELLED)
- 16. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the biological sample is on a slide.

Appln. No.: 09/229,283 Amendment dated July 25, 2005

Reply to Office Action of March 25, 2005

17. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the antibody is used to determine where in the malignant cell the Mi is expressed.

- 18. (NEW) A method for screening for melanoma using immunohistochemistry to determine whether microphthalmia (Mi) is expressed which comprises:
 - (a) contacting *in vitro* a biological specimen containing malignant cells with an antibody generated using a region of human microphthalmia (Mi) unique to human Mi that binds human Mi; and
 - (b) determining whether Mi is being expressed in the specimen by the binding of the antibody to Mi, wherein the expression of Mi in a malignant cell is indicative of melanoma.
- 19. (NEW) The method of claim 18, wherein the biological specimen consists of malignant cells.
- 20. (NEW) The method of claim 18, wherein the antibody is a monoclonal antibody.
- 21. (New) The method of claim 20, wherein the antibody is generated using an epitope in the N-terminus Taq-Sac fragment of human Mi.
- 22. (NEW) The method of claim 18, wherein the biological sample is on a slide.
- 23. (NEW) The method of claim 18, wherein the antibody is used to determine where in the malignant cell the Mi is expressed.